

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
 $\$17,463 + \$1,970 = \$19,433$

## 2010 Ford Econoline Cargo Van E-250



### 2010 Ford Econoline Cargo Van E-250 Commercial (E2E)

---

CLASS 4910

VAN FULLSIZE CARGO

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

## Vehicle Report: Table of Contents

### VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

### STANDARD EQUIPMENT

Mechanical	3
Exterior	10
Entertainment	3
Interior	3
Safety	4

### TECHNICAL SPECIFICATIONS

Powertrain	5
Dimensions	6
Chassis	7
Vehicle	10
Exterior	10

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

## Vehicle Information

### SELECTED MODEL

Code	Description	Invoice
E2E	2010 Ford Econoline Cargo Van E-250 Commercial	\$24,206.00

### SELECTED VEHICLE COLORS

### SELECTED OPTIONS

Code	Description	Invoice
425	50-STATE EMISSIONS	\$0.00
99W	4.6L SOHC EFI FLEX FUEL V8 ENGINE, (STD)	\$0.00
44Q	4-SPEED AUTOMATIC TRANSMISSION W/OD, -inc: aux cooler (STD)	\$0.00
X24	3.73 AXLE RATIO	\$0.00
750A	COMMERCIAL SERIES ORDER CODE	\$0.00
T38	LT245/75R16E ALL-SEASON BSW TIRES, (STD)	\$0.00
—	60/40 HINGED SIDE CARGO DOOR, (STD)	\$0.00
211	DUAL BUCKET SEATS, (STD)	\$0.00
—	FRONT AIR CONDITIONING, (STD)	\$0.00
—	STANDARD PAINT	\$0.00
CE	MEDIUM FLINT, CLOTH SEAT TRIM	\$33.00
173	FIXED REAR CARGO DOOR GLASS, -inc: day/night rearview mirror	\$50.00
47Z	AMBULANCE PREP PKG NOT REQUIRED	\$0.00
96B	ECONO CARGO HAULING SYSTEM, -inc: insulated polyethylene panels covering walls, hardboard panel covering ceiling, steel bulkhead w/lockable door, 2 tracks, tie down straps, (REQ: 163 Rear Vinyl Floor Covering) (N/A w/18B Interior Upgrade Pkg, 17W Windows All-Around, 96G Racks & Bins Pkg, 96Q Quiet-Flex Composite Racks & Bins Pkg, 47C Crew Van Pkg, 551 Insulation Pkg, 18M Premium Van Group)	\$0.00
90F	PWR GROUP, -inc: pwr door locks w/rear door switch, pwr windows, remote keyless entry/ panic alarm, (2) transmitters, pwr mirrors, (REQ: 173, 178, 179, 17S or 17W Cargo Door/Glass Pkgs & 54Q Mirrors)	\$556.00
536	CLASS II/III/IV TRAILER TOWING PKG W/HITCH, -inc: electric brake controller tap-in capability, trailer wiring harness w/bumper bracket, relay system for backup/B+/running lights, trailer tow hitch	\$328.00
769	BLACK REAR STEP BUMPER, -inc: Class I trailer towing pkg, (N/A w/18A Upgrade Pkg)	\$141.00
54Q	DUAL AEROTYPE PWR MIRRORS, w/LH flat glass & RH convex glass, integrated spotter, (REQ: 90F Pwr Group)	INC
153	FRONT LICENSE PLATE BRACKET	\$0.00
585	AM/FM STEREO W/CD PLAYER, -inc: clock, (4) speakers, audio jack	\$245.00
163	REAR VINYL FLOOR COVERING	\$54.00
525	SPEED CONTROL	\$199.00
15T	TRACTION CONTROL	\$187.00
942	DAYTIME RUNNING LAMPS	\$37.00
	<b>Options Total</b>	<b>\$1,970.00</b>

### AFTERMARKET OPTIONS

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.


Chrome Carbook Fleet Edition™. Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

Ford-Alarm	Invoice
Backup Alarm for fullsize passenger and cargo van. Option code: AMO.	\$140.00

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

## Standard Equipment

### MECHANICAL

4.6L SOHC EFI flex fuel V8 engine  
4-speed automatic transmission w/OD -inc: aux cooler  
4.10 axle ratio (REQ: 99W Engine)  
Rear wheel drive  
Electronic throttle control  
Maintenance-free battery  
120-amp alternator  
138" wheelbase  
8900# GVWR  
Twin I-beam front suspension  
Semi-float rear suspension  
Handling pkg -inc: front stabilizer bar, HD front/rear shock absorbers  
Pwr steering  
Pwr 4-wheel anti-lock disc brakes

### EXTERIOR

LT245/75R16E all-season BSW tires  
16" x 7" steel wheels w/full sport wheel covers  
Full-size spare tire  
Front/rear black bumpers  
Painted grille  
Sealed-beam headlights  
Telescopic trailer tow mirrors w/manually adjustable spotter lens  
Solar tinted glass  
Hinged 60/40 side cargo doors

### ENTERTAINMENT

AM/FM stereo radio -inc: (2) speakers, digital clock

### INTERIOR

Front air conditioning  
Dual vinyl front bucket seats  
Inboard armrest on front seats  
Color-keyed slim line engine console cover w/dual stowage, (3) cup holders  
Front vinyl floor covering  
Black plastic stepwell pads  
Tilt steering column  
Medium dark flint-color instrument panel -inc: tachometer  
Glove box w/aux pwr point  
Dual 12-volt pwr points in instrument panel  
LH/RH black cowl trim panels  
Front vinyl headliner

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

---

Medium flint-color trimmed vinyl sun visors  
Driver & front passenger A-pillar interior grab handle  
Lights-inc: front dome, rear cargo  
Courtesy light switches on all doors

## SAFETY

Driver & front passenger second generation airbags  
Medium flint-color safety belts w/height adjustable D-ring  
Tire pressure monitoring system  
Electric dual note horn

All specifications are subject to change without notice.

---

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

## Technical Specifications

### POWERTRAIN

#### Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	44Q
Trans Type	4
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	2.84
Second Gear Ratio (:1)	1.55
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.70
Reverse Ratio (:1)	2.32
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

#### Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

#### Engine

Engine Order Code	99W
Engine Type	Gas/Ethanol V8
Displacement	4.6L/281
Fuel System	SMPI
SAE Net Horsepower @ RPM	225 @ 4800
SAE Net Torque @ RPM	286 @ 3500
Engine Oil Cooler	Yes

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

#### Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	120

#### Cooling System

Total Cooling System Capacity	25.0 qts
-------------------------------	----------

#### DIMENSIONS

##### Interior Dimensions

Passenger Capacity	2
Front Head Room	42.0 in
Front Leg Room	40.0 in
Front Shoulder Room	68.1 in
Front Hip Room	65.5 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.



**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

### Exterior Dimensions

Wheelbase	138.0 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	216.7 in
Width, Max w/o mirrors	79.4 in
Height, Overall	84.8 in
Overhang, Front	34.9 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	31.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Rear Door Opening Height	49.5 in
Rear Door Opening Width	53.9 in
Side Door Opening Height	48.2 in
Side Door Opening Width	44.8 in
Step Up Height - Front	N/A in
Step Up Height - Side	N/A in
Cab to Body	N/A in

### Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	138.7 in
Cargo Area Length @ Floor to Seat 1	122.4 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	52.5 in
Cargo Box (Area) Height	53.9 in
Tailgate Width	N/A in
Cargo Volume	237.8 ft <sup>3</sup>
Ext'd Cab Cargo Volume	N/A ft <sup>3</sup>

### CHASSIS

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

### Weight Information

Gross Axle Wt Rating - Front	3850 lbs
Gross Axle Wt Rating - Rear	5520 lbs
Curb Weight - Front	2953 lbs
Curb Weight - Rear	2360 lbs
Option Weight - Front	23.00 lbs
Option Weight - Rear	284.00 lbs
Reserve Axle Capacity - Front	874.00 lbs
Reserve Axle Capacity - Rear	2876.00 lbs
As Spec'd Curb Weight	5620.00 lbs
As Spec'd Payload	3280.00 lbs
Maximum Payload Capacity	3587.00 lbs
Gross Combined Wt Rating	11500 lbs
Curb Weight	5313.00 lbs
Reserve Axle Capacity	3750.00 lbs
Total Option Weight	307.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	8900.00 lbs

### Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	5900 lbs
Wt Distributing Hitch - Max Tongue Wt.	590 lbs
Maximum Trailering Capacity	N/A lbs
Dead Weight Hitch - Max Trailer Weight	5000.00 lbs
Dead Weight Hitch - Max Tongue Weight	500.00 lbs
Weight Distributing Hitch - Max Trailer Weight	5580.00 lbs
Weight Distributing Hitch - Max Tongue Weight	590.00 lbs
Fifth Wheel Hitch - Max Trailer Weight	5580.00 lbs
Fifth Wheel Hitch - Max Tongue Weight	1395.00 lbs

### Frame

Frame Type	Single Channel
Sect Modulus Rails Only	N/A in <sup>3</sup>
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

## Suspension

Suspension Type - Front	Coil Spring
Suspension Type - Rear	Multi-Leaf 2-Stage
Spring Capacity - Front	3850 lbs
Spring Capacity - Rear	5520 lbs
Axle Type - Front	Twin I-Beam
Axle Type - Rear	Semi-Floating
Axle Capacity - Front	5000 lbs
Axle Capacity - Rear	5520 lbs
Axle Ratio (:1) - Front	
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	35.0 mm
Shock Absorber Diameter - Rear	35.0 mm
Stabilizer Bar Diameter - Front	1.0 in
Stabilizer Bar Diameter - Rear	

## Tires

Front Tire Order Code	T38
Rear Tire Order Code	T38
Spare Tire Order Code	N/A
Front Tire Size	LT245/75R16E
Rear Tire Size	LT245/75R16E
Spare Tire Size	LT245/75R16E
Front Tire Capacity	3042 lbs
Rear Tire Capacity	3042 lbs
Spare Tire Capacity	3042 lbs
Revolutions/Mile @ 45 mph - Front	677
Revolutions/Mile @ 45 mph - Rear	677
Revolutions/Mile @ 45 mph - Spare	677

## Wheels

Front Wheel Size	16 x 7 in
Rear Wheel Size	16 x 7 in
Spare Wheel Size	16 x 7 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations | 801-619-7242  
annestehno@utah.gov

**Prepared For:**  
Class 4910  
\$17,463 + \$1,970 = \$19,433

### Steering

Steering Type	Pwr
Steering Ratio (:1), On Center	17.0
Steering Ratio (:1), At Lock	
Turning Diameter - Curb to Curb	48.6 ft
Turning Diameter - Wall to Wall	50.1 ft

### Brakes

Brake Type	Power
Brake ABS System	4-wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes
Front Brake Rotor Diam x Thickness	13.58 x -TBD- in
Rear Brake Rotor Diam x Thickness	13.58 x -TBD- in
Drum - Rear (Yes or )	
Rear Drum Diam x Width	

### Fuel Tank

Fuel Tank Capacity, Approx	35.0 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Midship
Aux Fuel Tank Location	

### VEHICLE

EPA Greenhouse Gas Score	N/A
Rear Door Type	Dual

### EXTERIOR

Side Door Type	RH Dual Hinged
----------------	----------------

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 1447, current as of 12/22/2009 at 20:36 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.